INDEX TO BRITTONIA VOLUME 55 (2003)

Compiled by Thomas A. Zanoni

All new plant taxa, new combinations, lectotypifications, or neotypifications are indicated by **boldface** type. Personal names are listed only when new taxa are based on them (eponyms) or when the article contains substantial information about the person. Countries are cited only for types of new taxa, or for range extensions, or when mentioned in the title of an articles, or when the article contains substantial information about a country. Plant names of associated species from the vegetation are not included here.

Acacia, 373; *eocaribbeanensis*, 373
Acorales, 222
Acorus, 221, 222
Acrostichum, 372
Adelia, 4–8; *barbinervis*, 6; **cinerea, 5**–8; *oaxacana*, 6; *obovata*, 6; *triloba*, 6; *vaseyi*, 6; *virgata*, 6
Aetanthus, 373
Agatea, 210
Agavaceae, 82
Agave, 82, 240; subgen. *Littaea* "group *Striatae*," 243; sect. *Viviparae* ser. *Rigidae*, *84; angustifolia*, 82–85, **86 (neotypification)**; *angustifolia* var. *deweyana*, 82, 86; *angustifolia* var. *letonae*, 82, 86; *angustifolia* var. *nivea*, 82, 86; *angustifolia* var. *rubescens*, 86; *angustifolia* var. *sargentii*, 86; *angustifolia* var. *variegata*, 86; *dasylirioides*, 242–244; *flaccida*, 83; *furcroydes*, 82; *karatto*, 83; *letonae*, 86; *nivea*, 86; *petrophila*, 242; **rzedowskiana, 240**–244; *striata* subsp. *falcata*, 243; *tequilana*, 83; *vercrucis*, 83; *vivipara*, 82–84, 86; *viviapara* var. *deweyana*, 86; *vivipara* 'Marginata,' 86; *vivipara* var. *marginata*, 86; *vivipara* var. *nivea*, 86; *vivipara* var. *rubescens*, 86; *vivipara* var. *sargentii*, 86; *vivpara* 'Variegata,' 86
Agouticarpa, 176–201; key to species, 180–181; *curviflora*, 178, 179, 181–186, 191, 196; **grandistipula,** 176, 178, 179, **186**–188, 190; **hirsuta,** 176, 178, 179, **188**–191; **isernii,** 179, 180, 183, **191**–194, 196; **velutina,** 176, 178, 183, **194**–196; **williamsii,** 178–180, 188, 191, **197**–201
Alfaroa 373
Alibertia, 176, 178, 183; *isernii*, 191
Alismatales, 218, 219, 221, 222
Alismatidae, 219, 221
Alsimataceae, 219
amber, 371, 372
Anchietea, 210, 213
Anthracothorax mango (pollinator), 237
Arabis, 1; *beckwithii*, 3; *falcatoria*, 3; *fecunda*, 3; *gracilipes*, 3; *lasiocarpa*, 3; *puberula*, 3; *pulchra* var. *duchesnensis*, 3; *pulchra* var. *gracilis*, 3; *pulchra* var. *munciensis*,, 3; *schistaea*, 3; *shockleyi*, 3; *suffrutescens*, 3
Araceae, 37; tribe Spathicarpeae, 37
Arecales, 222
Arecaceae Arecioideae Geonomeae, 326, 327, 332, 336, 340, 342
Arecipites, 370
Argentina, 10, 18, 146
Aristeyera, 328, 339, 340, 345; *ramosa*, 350; *spicata*, 328, 336, 338, 351
Asparagales, 222
Asteraceae, 146; Astereae, 146; Calenduleae, 253; Heliantheae, 245, 253; Senecioneae–Tussilagiinae, 157; Clibadiinae, 248; Desmanthodiinae, 248; Galinsogiinae, 248, 249; Melanpodiinae, 248; Milleriinae, 248
Asterogyne, 326–356; key to species, 346; *guianensis*, 327, 330–332, 336, 340, 341, 343–345, 347, 354; *martiana*, 327, 329–334, 336, 338–345, 347–350, 354; *minor*, 347; *ramosa*, 327, 329–331, 334–336, 338, 341, 343, 345, 350, 351, 354; *spicata*, 328–330, 334, 336–338, 340–345, 351, 352, 354; *yaracuyensis*, 328–331, 334, 336, 338–341, 343–345, 352–354
award, Rupert C. Barneby (announcement), 9
Baillieria, 253, 287; *aspera*, 253, 277, 280, 287; *barbasco*, 285; *neriifolia*, 290; *sylvestris*, 280, 285, 287
Banisteria patens, 140, 143
Basopollis, 372
Bazzania, 373
Beaucarnea, 227; **compacta, 226**–229, 231; *gracilis*, 226, 228, 229
Begonia, 19, 21; sect. *Sphenanthera*, 19; **acetosella,** 19, 21–**23 (lectotypification)**; *acetosella* var. *acetosella*, 23, 24; *acetosella* var. *hirtifolia*, 23, 24; *aptera*, 25; *baccata*, 28; *crassirostris*, 19, 25; *cristata*, 19–22, 24; *hayatae*, 19–22; *inflata*, 19, 25; *leprosa*, 21; *longifolia*, 22, 25–27; *longifolia* complex, 19–29; *oxyloba*, 21; *renifolia*, 19–22, 27; *roxburghii*, 25; **sarcocarpa,** 19–22, 27, **28 (lectotypification)**; *tetragona*, 19, 21; *tricornis*, 19, 25; *trisulcata*, 19, 25; **turbinata,** 19–22, **28,** 29
Bernardia, 4–6, 8; *cinerea*, 5; *fonsecae*, 6
Blakea, 73, 74; *portentosa*, 76; *sawadae*, 74, 76; **subpanduriformis, 74**–76;
Boechera, 1, **beckwithii 3;** *demissa*, 3; **falcatoria, 3; fecunda, 3; glareosa, 1**–3; **gracilipes, 3**; *gunnisoniana*, 3; **lasiocarpa, 3**; **puberula, 3**; **pulchra** var. **duchesnensis, 3**; **pulchra** var. **gracilis, 3**; **pulchra** var. **munciensis, 3; schistacea, 3**; **shookleyi, 3**; **suffruticosa, 3**
Bolivia, 10, 11, 13, 15, 33, 37, 66
Bombacaceae, 305; pollination, 308; 310, 311, 313, 314
Bombacacidites, 372
Bombax, 373

Brittonia, 55(4), 2003, pp. 385–389. ISSUED: 07 October 2003

© 2003, by The New York Botanical Garden Press, Bronx, NY 10458-5126 U.S.A.

books received, 202; Allen, B., **Moss flora of Central America. Part 2. Encalyptraceae–Orthotrichaceae,** 303, 304; Golding, J. & D. C. Wasshausen, **Begoniaceae, Edition 2. Part I: Annotated species list. Part II: Illustrated key, abridgement and supplement,** 81; Stearn, W. T., **The genus *Epimedium* and other herbaceous Berberidaceae,** 302, 303; Struwe, L. & V. A. Albert (eds.), **Gentianaceae: Systematics and natural history,** 304; Whitelock, L., **The cycads,** 90;, 302, 303, 304
Borojoa, 177
Brassicaceae, 1
Brazil, 31, 33, 61, 63, 128, 132, 137, 210
Brunellia, 373
Bursera, 370, 373
Cacalia venezuelae, 166, 168
Calea subgen. *Calea,* 249
Calibanus, 226, 229, 231; **glassianus, 228**–231; *hookerii,* 231
Calliococca, 88
Calyptrogyne, 338, 344
Calyptronoma, 331, 344; *occidentalis,* 341, 344; *rivalis,* 330, 331, 341
Campynemataceae, 221
Caribbean Basin, 358, 361, 364, 365–367
Carpichea, 88; *aubletii,* 88, 89; **ligularis, 89**; *guianensis,* 88, 89
Casearia, 373
Casparya trisulcata, 25
Catostemma, 373, 374
Cecropia, 374
Celtis, 370, 371
Cephaelis, 88; *guianensis,* 88, 89; *involucrata,* 88, 89
Chrysanthemoides, 253
Chrysophyllum, 373
Cigarilla, 233
Cladocolea inconspicua, 169, *micrantha,* 172
Clibadium, 245–301; key to species, 254, 255; subgen. *Clibadium,* 254, 262, 292; subgen. *Euvclibadium* [= *Clibadium*], 246, 247, 262, subgen. *Paleata,* 252, 254–256, 259 292; sect. *Clibadium,* 246–249, 252, 253, 275, 292; sect. **Eggersia,** 249, 253, **256,** 262, 292; sect. **Glomerata,** 248, 252, 253, **262,** 263, 292; sect. **Grandifolia,** 252, 253, **270,** 292; sect. *Oswalda,* 246, 247, 252, 253, 284, 292; sect. *Trixidium,* 246, 247, 260, 292; **acuminatum,** 247, 255, **287 (lectotypification)**–289, 292; *agreste,* 289; *alatum,* 248, 275, 276; **alexandri,** 247, **260 (lectotypification)**; *anceps,* 247, 250–254, 262–265, 292; *angustifolium,* 289; *appressipilum,* 285, 287; *arboreum,* 247, 248, 253, 255, 282–284, 287, 292; *armanii,* 247, 250–255, 283, 284, 292; *asperum,* 277; *badieri,* 285; *barbasco,* 285; *caracasanum,* 277; *caudatum,* 285, 287; *chocoense,* 256,–258; *commelinoides,* 289; *congestum,* 264, 265; *cordatum,* 250, 252, 255, 271, 272, 292; **divaricatum,** 246, 248, 254, 258, **259 (lectotypification),** 260, 292; *donnell–smithii,* 282; **eggersii,** 245, 247, 248, 251–**256 (lectotypification),** 257–259, 262, 287, 292; *erosum,* 246, 247, 250, 252–254, 259–262, 292; *foetidum,* 289; *frangiferum* 247, 261, 262; *frontinoense,* 248, 250–252, 255, 268, 292; *funkiae,* 248, 274; *glabrescens,* 247, 251, 252, 255, 269, 273–275, 292; **glomeratum,** 247, 251, 252, 252, 262, **263 (lectotypification),** 264–266, 292; *grande,* 247, 270, 271; *grandifolium,* 250–252, 255, 270, 272, 292; *harlingii* 248, 268, 269; *havanense,* 283; *heterotrichum* 247, 281, 282; *hispidulum,* 289; *lanceolatum,* 277, 280; *latifolium,* 285; *laxum,* 247, 249, 252, 253, 255, 266, 275–277, 292; *lehmannianum,* 247, 277, 280; *leiocarpum,* 247, 252, 253, 255, 287, 292; *leicarpum* var. *strigosum,* 247, 284, 285; *leptophyllum,* 250–254, 258–260, 292; *manabiense,* 248, 252, 253, 255, 272, 273, 292; *mexiae,* 247, 276; *microcephalum,* 251, 252, 254, 266, 267, 289, 292; *micranthum,* 247, 253, 255, 288, 289, 292; *napoense,* 248, 273, 274; *neriifolium,* 290; *oligandrum,* 247, 282; *pacificum,* 270; *pallidum,* 276; *parviceps,* 247, 287, 288; *pedunculatum,* 248, 260, 288; *pedunculosum,* 290; *pentaneuron,* 250, 252, 255, 273–275, 292; *peruvianum,* 253, 255, 280–283, 292; *pileorubrum,* 274; *pilonicum,* 262, 263; **pittieri,** 247, **256 (lectotypification),** 258, 261; **pittieri** f. **phrixium, 256 (lectotypification),** 258; **polygonum,** 247, **256 (lectotypification),** 258; *propinquum,* 256; **remotiflorum,** 247, 275, **281 (lectotypification)**; *psilogynum,* 281; *pueblanum,* 282; **rhytidophyllum,** 246, 250, 252, 253, 255, **268 (lectotypification),** 269, 270, 292; *rimachii,* 259; **rotundifolium, 283 (lectotypification),** 284; *sarmentosum,* 274, 275; *scandens,* 274, 275; *schomburgkii,* 290; *schulzii,* 247, 284, 285; *sessile,* 247, 250–254, 265, 266, 292; *sneidernii,* 287; **sodiroi,** 247, 255, **276 (lectotypification),** 277, 292; *sprucei,* 247, 250, 252, 253, 255, 269, 270, 292; **strigillosum,** 247, **285 (lectotypification)**; *subauriculatum,* 265; **subsessilifoium,** 247, **264 (lectotypification),** 265; *surinamense,* 245, 246, 248, 250, 251, 253, 255, 262, 277–281, 284, 287, 292; *surinamense var. macrophyllum* 277; *sylvestre,* 245, 246, 251, 252, 254, 255, 271, 280, 284, 285–287, 292; *synchocephalum,* 264; *terebinthaceum,* 247, 252, 254, 259–262, 292; *terebinthaceum* var. *colombiense,* 270; *trianae,* 249, 251, 252, 254, 263–265, 292; *trinitatis,* 277; *vargasianum,* 248, 281, 285; *villosum,* 247, 277; *zakii,* 248, 274; *zarucchii,* 246, 248, 250–253, 255, 267, 268, 292
Cnemidaria, 373
Commelinales, 222
Corsiaceae, 222
Corynostylis, 210, 213, 373
Costa Rica, 173, 321
Couepia, 374
Coussapoa, 374
Cremersia platula, 203 (erratum)
Crotonogynopsis, 6, 8
Crudia, 370, 374
Cuba, *see* Greater Antilles
Cubanola, 233
Cucurbitaceae, 69; subfam. Cucurbitoideae tribe Sicyeae subtribe Sicyinae, 69
Cyperaceae, 30
Dasylirion, 226
Dasypogonaceae, 215, 222
Deltoidospora, 372
Desmanthodium, 246, 248, 249, 251, 265; **trianae,** 247, **264 (lectotypification)**
Dialium guianense, 373
Dioscoreales, 222

Diploclinium longifolium, 25; *longifolium* var. *luxurians*, 25
dispersal/vicariance, 374–378
Distichochlamys, 205; *citrea*, 205, 207; *orlowii*, 205, 207; **rubrostriata, 205**–208
Dominican Republic, *see* Greater Antilles
Drepanolejeunia, 373
Dryopteridaceae, 317
Dyschoriste, 10–18; key to species in Bolivia, 11; **axillaris,** 10, **11**–13; **boliviana,** 10, **13**–15, 18; **ceciliae,** 10, 17, **18;** *humilis*, 13, 18; *hygrophiloides*, 10, 13; **prostrata,** 10, 11, **15,** 16, 18; *pubescens*, 10; *trichanthera*, 10, 11, 13, 18; *venturii*, 10, 11, 13
Ecuador, 74, 76, 78, 186, 188, 194
Enriquebeltrania, 6, 8
Ericaceae, 365
Erithoeca longitubulosa, aroma (components), 305, 306, 309, 311; pollination, 305–316
errata, *Cremersia platula*, 203; *Pitcairnia chocoensis*, 203; *Pitcairnia delicata*, 203
Eschweilera, 374
Espeletia neriifolia, 290
Eugenia, 373, 374
Eupatorium armanii, 283
Euphorbiaceae, 4; subfam. Acalyphoideae, 4; tribe Adelieae, 4; tribe Bernardieae, 4
Fagaceae, 42
Faramea, 373
floras, fossil, species lists, 359–361, 371; Artibonite (Haiti), 358, 360, 362–364; Burgos Basin (Mexico), 357, 363, 363, 365, 371, 376; Chapapote–Sabana de las Palmas (Cuba), 358–364; Cucuracha, 358, 362–364; Culebra, 358, 362–363, 364; Gatun, 358, 362–364; Gatun Lake, 362–364; Gatuncillo (Panama), 357, 358, 362–364, 376; Guys Hills (Chapleton, Jamaica), 357, 358, 360, 362, 364, 372, 374, 376, 377; Isla de la Juventud (Cuba), 36, 361, 363, 364; Jackson, Claiborne, 361, 363, 364; La Boca, 358, 362–364; Los Cuervos, 362–364, 376; Luquillo Mountains (Puerto Rico), 360, 362–364; Mirador, 362–364, 376; Miragoan (Haiti), 360, 362–364, 372; San Sebastian (Puerto Rico), 358, 360, 362–364, 373, 374, 376; Saramaguacán (Cuba), 357, 358, 361–364, 370, 371, 376; Yumari (Cuba), 359, 361, 363, 364
Fournier, Luis A., 175
French Guiana, 305
Galinsoga, 248, 249; sect. *Galinsoga*, 249; *mandonii*, 249; *parviflora*, 249; *subdiscoidea*, 249
Genipa, 176, 178; *americana*, 176; *curviflora*, 176, 181; *infundibuliformis*, 176; *spruceana*, 176; *williamsii*, 176, 177, 197
Geology, Cenozoic, 357, 369, 371, 374, 375; Cretaceous, 375, Cretaceous (Neocomian), 367; Cretaceous (Valanginian), 367; Eocene, 357, 358, 360, 361, 363, 364, 368, 370, 371, 373, 374, 376, 377; Jurassic, 377; Miocene, 358, 359, 364, 369, 371, 372, 377, 378; Mio–Pliocene, 358, 360, 376; Neogene, 373, 374; Oligocene, 359, 360, 363, 364, 369, 372–374, 376; Paleocene, 368, 369; Paleogene, 372, 374; Pleistocene, 358; Pliocene, 363, 364, 372, 373; Quaternary, 358, 360, 361, 363, 364; Tertiary, 358, 359, 372, 376
Geonoma, 331, 344, 345; *camana*, 340; *chococola*, 340; *congesta*, 344; *interupta*, 330, 331, 339, 340; *martiana*, 328, 345; *polyandra*, 340; *trifurcata*, 347
Geraniaceae, 93
Geranium 93–95; subgen. *Erodioideae*, 94; subgen. *Geranium*, 94; subgen. *Geranium* sect. *Azorelloidea*, 94; subgen. *Geranium* sect. *Batrachioidea*, 100; subgen. *Geranium* sect. *Brasiliensia*, 99; subgen. *Geranium sect. Fruticulosa* 125; subgen. *Geranium* sect. *Geranium*, 94; subgen. *Geranium* sect. Gracilia, 93–126, key, 101–102; subgen. *Geranium* sect. *Neoandina*, 94; subgen. *Geranium* sect. *Neurophyllodes*, 94; subgen. *Geranium* sect. *Paramensia*, 94; subgen. *Geranium* sect. *Tuberosa*, 94; subgen. *Robertium*, 94; **gracilipes,** 94, **102 (lectotypification),** 105, 125; *holosericeum*, 94–100, 102, 105; *holosericeum* var. *stuebelii*, 102, 105, 125; *holosericeum* var. *typicum* (= var. *holosericeum*), 102, 125; *lainzii*, 94–101, 105–108, 112, 125; **lignosum,** 94–98, 99, 101, 107, **108 (neotypification)**–100; **lindenianum,** 94, **102 (lectotypification),** 105, 125; **multiceps,** 94–101, 108, **110 (lectotypification)**–112, 123, 125; *pilgerianum*, 94, 124; **santanderiense,** 94–101, 108; **112 (lectotypification)**–115, 125; *sebosum*, 94–98, 102, 115–117, 199, 125; *sibbaldioides*, 105; *stoloniferum*, 94–99, 102, 117–119, 125; **subnudicaule,** 94–97, 100, 102, 117; **119 (lectotypification)**–121, 125; **velutinum,** 94, 95, 97–99, 102, **121 (lectotypification)**–125
Ginoria, 378
Glass, Charles, 229
Gleichenites, 367
Glossostipula, 177, 178
Glycydendron, 374
Gorgonidium, 37, 40; *mirabilis*, 37, 39; **striatum, 37**–39; *vargasii*, 39; *vermicidium*, 39
Grammitis succinea, 373
GreaterAntilles (Caribbean Islands), historical phytogeography, 357–383
Grindelia, 146; *chiloensis*, 146, 148, 149; **coronensis, 146**–149; *covasii*, 148, 149; *patagonica*, 146, 148, 149; *prunelloides*, 146; *pygmaea*, 146; *ventanensis*, 148
Guarea, 373
Guianas, 305
Guyana, 169
Gynoxys, 157, 167; *campii*, 167; *diesliana*, 167; *induta*, 167; *littlei*, 167; *longifolia*, 167; *lopezii*, 167, 168; *regis*, 167, 168; *soukopii*, 167; *subhirta*, 167; *verrucosa*, 162, 168
Haiti, *see* Greater Antilles
Haitia, 378
hawkmoth, 305
Hernandia, 374
Heteropterys, 127, 137; subgen. *Aptychia*, 127, 128, 143; subgen. *Heteropterys*, 127; **admirabilis, 128**–133, 144; anomala, 128, 136, 140; *anomala* f. *eglandulosa*, 140; **anomala** f. **glandulifera,140 (lectotypification)**; *bullata*, 128, 132, 133; **imperata,** 128, **132**–137, 140, 143, 144; **nordestina,** 128, 132, 133, 136, **137**–140, 143, 144; *oberdanii*, 128, 132, 133, 140, 143; *oblongifolia*, 137; *patens*, 128, 131–133, 140–144; **patens** var. **acuminata 140 (lectotypification),** 143; *pteropetala*, 137; *syringifolia*, 137; *trichanthera* 137

Hybanthopsis, 205, **210**–213; **bahiensis, 210**–212
Hybanthus, 209, 210, 212; *calceolaria,* 212; *volubilis,* 210
Hymenaea, 373; *verrucosa,* 373
Ichthyothere, 246; 248, 249; *agreste,* 289; *cunabi,* 289; *linearis, 289*
Iltis, Hugh H., 57
Inga, 374
Iridaceae, 222
Isidorea, 233; *lepantha.* 237; *pungens,* 237
isozymes, *Polystichum,* 318
Ixocactus, 169; *clandestinus,* 169, 171; *gracilis,* 171; *hutchinsonii,* 171; *inconspicuus,* 169; *rhynchophyllus,* 171
Jacaranda, 373
Jamaica, *see* Greater Antilles
Japonoliriaceae, 214
Japonolirion, 214–219, 222, 223; *osense,* 218, 219, 221–223; "*osense* var. *saitoi,*" 223; saitoi, 218, 220, 223
Juncaceae, 150
Juncus aemulens 151; *conglomeratus,* 150; *effusus,* 150–154; *effusus* complex, 150–156; **effusus** subsp. **austrocalifornicus,** 151, **152**–155; *effusus* subsp. *effusus,* 150–152, 155; **effusus** subsp. **pacificus,** 151, **152,** 153, 155; *effusus* subsp. *solutus,* 150–152, 155; *effusus* var. *aemulans,* 150; *effusus* var. *caeruleomontanus,* 152; *effusus* var. *compactus,* 151; effusus var. *conglomeratus,* 150; *effusus* var. *costulatus, 150; effusus* var. *decipiens,* 150; *effusus* var. *pacificus,* 152; *effusus* var. *subglomeratus,* 151; *griscomii,* 150; *pylaei,* 150, 151
Juniperus, 361
Justicia, 11
Lanthanopsis, 246; *hispidula,* 289, 290
Lasiocroton, 6, 8
Latreillea linearis, 289
Leucocroton, 6, 8
Licania, 374
Licaria, 374
Liliaceae, 215, 219; Melanthoideae, 218; Petrosavieae, 215
Liliales, 215, 218, 221, 222
Loranthaceae, 169
Malpighiaceae, 127
Marcgravia, 373
Melanthiaceae, 215, 218, 219, 221; Petrosavieae, 215
Melastomataceae, 73, 74; tribe Blakeeae, 73
Melianthiales, 221
Mexico, 5, 42, 49, 54, 64, 69, 72, 227, 228, 240
Microsechium, 69
Miyoshia, 217, 223; *sakuraii,* 217; *sinii,* 223
Miyoshiaceae, 215, 217
Miyoshiales, 215
Nernstia, 233
Nolina, 227, 231
Nolinaceae, 226
Norontea, 373
Octoblepharum, 373
Orsinia, 253; *eupatoria,* 253
Oryctina, 169; **atrolineata, 169**–172; *myrsinities,* 169, 171
Osa pulchra, 234, 237
Oswalda, 253, 284; *baillierioides,* 253, 277
Palicourea guianensis, 89
Pandanales, 221, 222
Pappobulus, 251
Paracalia lopezii, 167–168
Paragynoxys, 157–168; key to species, 159; *angosturae,* 158–160, 168; *corei,* 158–160, 168; *cuatrecasasii,* 158–161, 168; *lopezii,* 167, 168; *magnifolia,* 158, 159, 161, 162, 169; *martingrantii,* 158–160, 162, 168; *meridana,* 157–159, 161, 163–165, 168; *neodendroides,* 158, 159, 163, 168; *pileolanata,* 165, 166, 168; *regis,* 167, 168; *santurbanensis,* 158, 159, 163, 164, 168; *steyermarkii,* 158, 159, 164, 166, 168; *undatifolia,* 158, 159, 163–165, 168; *uribei,* 158, 159, 165, 166, 168; *venezuelae,* 157–159, 166–168
Parasicyos, 69
Patagonia, 146
Paullinia, 173, 175; *baileyi,* 175; *correae,* 173; **fourieri, 173**–175; *hispida,* 175
Pelliceria, 358, 365, 372, 373, 376
Pera, 374
Petrosavia, 215–219, 221–223; key to species, 223; sect. *Miyoshia,* 223; "*borneensis,*" 217; *miyoshia–sakuraii,* 217, 218, 223; *sakuraii,* 217–220, 223; *sinii,* 223; *stellaris,* 215–221, 223
Petrosaviaceae, 214–225, key to genera, 223
Petrosaviales, 215, 221, 223
Petrosavianae, 223
Phoenicopsis, 367
Pholidostachys, 338
phytogeography, historical, of the Greater Antilles, 357–383; vegetational history, 369–374
Pinus, 365
Pitcairnia chocoensis, 203; *delicata,* 203
Pleea, 218
Pleodendron, 373
Poales, 222
Podocarpus, 373
Podozamites, 367
pollination, *Eritotheca,* 305
Polystichum, 317–319, tetraploids, 319; *fournieri,* 317–321, 323, 324; **lilianae,** 317, 319, **321,** 322, 324; *smithii,* 317–320; *turrialbae,* 317–324;
Portlandia 233, 234; *albiflora,* 237; *coccinea,* 234, 235, 237, 238; *coccinea* var. *coccinea,* 233, 234; *coccinea* var. *proctorii,* 233, 234, 238; *coriacea,* 234; *grandiflora,* 237; *harrisii,* 237; *microsepala,* 237; *platantha,* 237; **proctorii,** 233–**238,** 239
Proteaceae, 61
Protolirion, 216, 217, 219, 223; *miyoshia–sakuraii,* 217; *paradoxum,* 215, 216, 223; *sakuriaii,* 217; *sinii,* 217
Pseudolmedia, 374
Psilatricolporites crassus, 372, 376
Psychotria carpichea, 88, 89; *galboensis,* 89; *guianensis,* 89; *involucrata,* 89; *ligularis,* 88, 89; *ligularis* var. *carpichea,* 88, 89
Pteris, 365
Puerto Rico, *see* Greater Antilles
Quercus, 42, 49; sect. *Lobatae,* 42, 49; sect. *Lobatae* ser. *Praineaenae,* 42; sect. *Lobatae* ser. *Salicifoliae,* 52; *aequivenulosa,* 42, 46, 47; *coffeaecolor,* 42, 46, 47; **cualensis, 49**–54, 57–59; *gentryi,* 53, 58; **iltisii,**

49, 51, 53, **54**–59; *mexicana*, 57; *praineana*, 43, 46, 47; *salicifolia*, 53, 54, 57–59; **tuitensis, 42**–47
Rauwolfia, 373
Retimonocolpites, 372
Rhizophora, 358, 373, 375
Rhynchospora, 30; "capitatae," 30; *Anthelatae*, 30; subgen. *Haplostylis*, 30; subgen. *Haplostylis* sect. *Pauciflorae*, 31; subgen. *Haplostylis* sect. *Pluriflorae*, 30; subgen. *Haplostylis* sect. *Pluriflorae* subsect. *Brevibracteatae*, 30; subgen. *Haplostylis* sect. *Pluriflorae* subsect. *Longibracteatae*, 30; subgen. *Haplostylis* sect. *Pluriflorae* subsect. *Subebracteatae*, 30, 31, 33; subgen. *Rhynchospora*, 30; **bracteovillosa, 31**–33; **leucoloma,** 31, **33,** 34; *exilis*, 31; *globosa*, 31, 33, 36; *loefgrenii*, 31; **melanocarpa,** 30, **33**–36;
Riencourtia, 246, 248; *pedunculosa*, 290
Rinorea, 209
Rinoreocarpus, 209
Roupala, 61–68; *consimilis*, 63; *cordifolia*, 68; *dielsii*, 61, 63; **filiflora, 66**–68; *glaberrima*, 63, 64, 66; **mexicana,** 61, 63, **64**–66; *monosperma*, 66; *montana*, 64, 66; **nonscripta, 61**–63; *pachypoda*, 66, 68; **psilocarpa, 63,** 64, 66
Rubiaceae, 176, 233; Catesbaeae, 23; Chioccoeae–Catesbaeeae complex, 233; Condimineeae subtribe Portlandiinae, 233; Gardinieae, 178, 193
Ruellia, 11
Rustia, 193; *isernii*, 177, 191, 193
Rzedowski, Jerzy, 244
Sapindaceae, 173
Scaphochlamys, 207
Scheuzchzeriaceae, 219
Schradera ligularis, 89
Sechiopsis, 69
Sechium, 69
Senecio, 157; sect. *Paragynoxys*, 157, 158; *angosturae*, 159, 169; *corei*, 160, 168; *martingrantii*, 162, 168; *meridensis*, 162, 168; *neodendroides*, 163, 168; *santurbanensis*, 164, 168; *steyermarkii*, 162, 168; *venezuelae*, 164, 168
Serjania, 173
Sicyos, 69; *galeottii*, 69, 71, 72; **lirae, 69**–72
Sicyosperma, 69
Simsia, 251
Spathantheum, 37; **fallax, 39**–41; *heterandrum, 41; intermedium*, 41; *obigynum*, 39, 41
Stachyocephalum, 246, 248
Stenosepala, 178
Stenostephanus, 11
Striatricolpites, 371
Struthanthus, 171
Symphonia globulifera, 373
Tapogomea, 88; *carapichea*, 88, 89; *guianensis*, 88, 89
Tecoma, 373
Terminalia amazonia, 373
Tetrorchidium, 373
Thogsennia, 233
Tillesia, 253
Tofieldia, 218, 219
Tofieldiaceae, 221
Topobea, 73, 74, 78, 80; **adscendens, 76**–78, 80; **bullata, 78**–80; *cutucuensis*, 76, 78; *verrucosa*, 78, 80
Trichapium, 253; *strigosum*, 253, 272
Tripodanthus, 171
Triuridaceae, 219, 221, 222
Triuridales, 219, 221
Triuridanae, 215, 219
Trixis, 253; *aspera*, 253, 277; *terebinthinacea*, 260
Trochilus polytomus polytomus (pollinator), 237, 238
United States of America, California, 152; Utah, 1
Uragoga, 88; *guianensis*, 88, 89
Vatairea, 374
Velloziaceae, 222
vicariance, 374–378
Vietnam, 205
Viola, 209
Violaceae, 209; Rinoreeae, 209; Violeae, 209, 212
Virola, 374
Welfia, 338
Wulffia, 253; *sodiroi*, 256
Yuccites, 367
Zingiberaceae, 205
Zingiberales, 222